

What's Wrong With Incineration?

Health Care Without Harm has several concerns regarding the burning of waste generated by health care (both solid waste and regulated medical waste). Incineration produces both toxic air emissions and toxic ash residue.¹ The air emissions affect the local environment, and in many cases, may affect communities hundreds or thousands of miles away. The ash residue is sent to landfills for disposal, where the pollutants have the potential to leach into groundwater. (It must be noted that waste treated by other methods and then landfilled will also produce leachate.)

In addition to releasing the pollutants contained in the waste stream to the air and into the ash, burning medical waste actually creates new toxic compounds, such as dioxins. Medical waste incineration has been identified by the U.S. Environmental Protection Agency as the third largest known source of dioxin air emissions,² and as the contributor of about 10 percent of the mercury emissions to the environment from human activities.³

Many, if not most, on-site medical waste incinerators burn not only infectious waste, but also readily recyclable items such as office paper and cardboard. This destroys resources and prevents cost savings that could be recouped through recycling. Medical waste incineration's identification as a primary source of some very toxic pollutants stands in direct contradiction to physicians' oaths to "do no harm."

Dioxin

Dioxin belongs to a family of 419 chemicals with related properties and toxicity, but the term "dioxin" is often used to refer to the 29 that have similar toxicity. Dioxin is one of the most toxic chemicals known to humankind. While exposure of the general population occurs through the ingestion of many common foods, children exposed *in utero* during critical periods of development appear to be the most sensitive

and vulnerable to the effects of dioxin.⁴ Dioxin exposure has been linked to disrupted sexual development, birth defects and damage to the immune system. Dioxin has been associated with IQ deficits, hyperactive behavior and developmental delays.^{5,6}

The International Agency for Research on Cancer (IARC), an arm of the World Health Organization, acknowledged dioxin's cancer-causing potential when they classified it as a known human carcinogen.⁷ The U.S. Environmental Protection Agency (EPA) has determined that most Americans are exposed to dioxin through ingestion of common foods, mostly meat and dairy products. Dairy cows and beef cattle absorb dioxin by eating contaminated feed crops. The crops become contaminated by air-borne dioxins that settle onto soil and plants. Dioxins enter the air from thousands of sources including incinerators that burn medical, municipal and hazardous waste.⁸

Mercury

Mercury is a potent neurotoxin, which means it attacks the body's central nervous system; it can also harm the brain, kidneys and lungs. It can cross the blood-brain barrier as well as the placenta. Mercury poisoning can cause slurred speech, impaired hearing, peripheral vision and walking, muscle weakness, mood swings, memory loss and mental disturbances. The risks of damage to the nervous systems of developing fetuses and young children are primary reasons for fish-consumption advisories, aimed at discouraging pregnant women, women of child-bearing age, and young children from eating too much fish. Studies done on women who ate methylmercury-contaminated fish or grain showed that even when the mothers showed few effects of exposure, their infants demonstrated nervous-system damage. If mercury-containing items are put into a "red bag" for infectious waste and sent to an incinerator, mercury will

contaminate the air. (This can happen with non-incineration technologies as well. If mercury goes into treatment equipment, it will come out.) Airborne mercury then enters a global distribution cycle in the environment, contaminating fish and wildlife.

Other Hazardous Pollutants

Many other hazardous pollutants have been identified in the emissions from medical waste incinerators: arsenic, ammonia, benzene, bromodichloromethane, cadmium, carbon tetrachloride, chromium, chlorodibromomethane, chloroform, cumene, 1,2-dibromoethane, dichloromethane, dichloroethane, ethyl benzene, lead, mesitylene, nickel, particulate matter, naphthalene, tetrachloroethane, toluene, trichloroethane, 1,1,1-trichloroethane, trichloroethylene, trichloromethane, vinyl chloride, and xylenes.⁹ Analysis of emissions of other treatment methods is necessary to determine if these emissions occur in the absence of combustion.

References

1. "Issues in Medical Waste Management Background Paper," Office of Technology Assessment, Congress of the United States, OTA-BP-O-49, October, 1988.
2. *Inventory of Sources of Dioxin in the United States* (EPA/600/P-98/002Aa), National Center for Environmental Assessment, USEPA, April 1998, p. 2-13.
3. *Mercury Study Report to Congress, Volume I: Executive Summary*, USEPA Office of Air, December 1997, pp 3-6.
4. Pluim, HJ, Koope, JG, Olie, K., et al. 1994. "Clinical laboratory manifestations of exposure to background levels of dioxins in the perinatal period." *Act Paediatr* 83:583-587; Koopman-Esseboom C, Morse DC, Weisglas-Kuperus N, et al. 1994. "Effects of dioxins and polychlorinated biphenyls on thyroid hormone status of pregnant women and their infants." *Pediatr Res* 36: 468-473; Pluim HJ, de Vijlder JJM, Olie, K, et al. 1993. "Effects of pre- and postnatal exposure to chlorinated dioxins and furans on human neonatal thyroid hormone concentrations." *Environmental Health Perspectives* 101: 504- 508; Weisglas-Kuperus N, Sas TCJ, Koopman-Esseboom C, et al. 1995. "Immunologic effects of background prenatal and postnatal exposure to dioxins and polychlorinated biphenyls in Dutch infants." *Pediatr Res* 38: 404-410; Huisman M, Koopman-Esseboom C, Fidler V, et al. 1995. "Perinatal exposure to polychlorinated biphenyls and dioxins and its effect on neonatal neurological development." *Early Human Development* 41: 111-127.
5. "Workshop[s] on Perinatal Exposure to Dioxin-like Compounds. I-VI. Summar[ies]," *Environmental Health Perspectives Supplements*, Vol. 103, Supplement 2, March 1995.
6. *Health Assessment Document For 2,3,7,8-Tetrachlorodibenzo-P-Dioxin (TCDD) And Related Compounds*, Vol. 1 of III, and Vol. II of III, USEPA, Office of Research and Development, EPA/600/BP-92/001b and EPA/600/BP-92/001c, external review draft; and Devito, M J and Birnbaum, L S. (1994) "Toxicology of dioxins and related chemicals." In *Dioxins And Health*, Arnold Schecter, ed., NY: Plenum Press, 139-62, as cited in *Dying From Dioxin: A Citizen's Guide To Reclaiming Our Health And Rebuilding Democracy*, Gibbs, L M and the Citizens Clearinghouse for Hazardous Waste, Boston: South End Press, 1994, pp. 138-139.
7. "IARC Evaluates Carcinogenic Risk Associated with Dioxins," International Agency for Research on Cancer press release, February 14, 1997.
8. *Estimating Exposure To Dioxin-Like Compounds*, Volume I: Executive Summary, USEPA, Office of Research and Development, EPA/600/6-88/005Ca. June 1994 review draft, p. 36.
9. *Draft Technical Support Document To Proposed Dioxins And Cadmium Control Measure For Medical Waste Incinerators*, California Air Resources Board, 1990, pg.51, as cited in "Medical Incinerators Emit Dangerous Metals And Dioxin, New Study Says," *Rachel's Environment & Health Weekly* #179, May 2, 1990.



Without Harm

1755 S Street, NW
Suite 6B
Washington, DC 20009
Phone: 202.234.0091
Fax: 202.234.9121
www.noharm.org
info@hcwh.org

This publication is part of *Going Green: A Resource Kit for Pollution Prevention in Health Care*. For additional copies of this or other publications included in the kit, or to find out how to get a complete kit, visit Health Care Without Harm on the Web at www.noharm.org.



The PCF certification mark and term are the sole property of the Chlorine Free Products Association and are only used by authorized and certified users.